Index

ORIGINAL PAPERS

Aebischer, N.J. *see* **Wilson, P.J.**

Aerts, R., Huiszoon, A., van Oostrum, J.H.A., van de Vijver, C.A.D.M. & Willems, J.H. The potential for heathland restoration on formerly arable land at a site in Drenthe, the Netherlands, 827

Ahmed, M. *see* **Wardle, D.A.**

Ambasht, R.S. *see* **Srivastava, A.K.**

Atkinson-Willes, G.L. *see* **Kirby, J.S.**

Auld, T.D. *see* **Bradstock, R.A.**

Banham, W.M.T. *see* **Hill, J.K.**

Behan-Pelletier, V. *see* **Kevan, P.G.**

Beintema, A.J. *see* **Goss-Custard, J.D.**

Bell, C.C. *see* **Clark, H.**

Bevanger, K. Estimates and population consequences of tetraonid mortality caused by collisions with high tension power lines in Norway, 745

Biernacki, M., Lovett Doust, J. & Lovett Doust, L. The effects of trichloroethylene, plant sex and site of origin on modular demography in *Vallisneria americana*, 761

Boatman, N.D. *see* **Theaker, A.J.**

Boucher, F. *see* **Lefol, E.**

Bradstock, R.A. & Auld, T.D. Soil temperatures during experimental bushfires in relation to fire intensity: consequences for legume germination and fire management in south-eastern Australia, 76

Briggs, K.B. *see* **Goss-Custard, J.D.**

Buchmann, S.L. *see* **Keys, R.N.**

Byrne, J.P. *see* **Sanderson, R.A.**

Caldow, R.W.G. *see* **Goss-Custard, J.D.**

Callaway, M.B. *see* **Mohler, C.L.**

Capiau, K. *see* **Paul, E.M.**

Castroviejo, J. *see* **Juste, J.**

Catt, D.C. *see* **Goss-Custard, J.D.**

Cavers, P.B., Groves, R.H. & Kaye, P.E. Seed population dynamics of *Onopordum* over 1 year in southern New South Wales, 425

Cherril, A.J. *see* **Sanderson, R.A.**

Clark, H., Newton, P.C.D., Bell, C.C. & Glasgow, E.M. The influence of elevated CO_2 and simulated seasonal changes in temperature on tissue turnover in pasture turves dominated by perennial ryegrass (*Lolium perenne*) and white clover (*Trifolium repens*), 128

Clark, N.A. *see* **Goss-Custard, J.D.**

Clarke, J.L., Welch, D. & Gordon, I.J. The influence of vegetation pattern on the grazing of heather moorland by red deer and sheep. I. The location of animals on grass/heather mosaics, 166

Clarke, J.L., Welch, D. & Gordon, I.J. The influence of vegetation pattern on the grazing of heather moorland by red deer and sheep. II. The impact of heather, 177

Clarke, R.T. *see* **Goss-Custard, J.D.**

Cock, M.J.W. *see* **van den Berg, H.**

Cole, D.N. Experimental trampling of vegetation. I. Relationship between trampling intensity and vegetation response, 203

Cole, D.N. Experimental trampling of vegetation. II. Predictors of resistance and resilience, 215

Corbet, S.A., Saville, N.M., Fussell, M., Prŷs-Jones, O.E. & Unwin, D.M. The competition box: a graphical aid to forecasting pollinator performance, 707

Cranswick, P.A. *see* **Kirby, J.S.**

Crawford, L.A., Hodkinson, I.D. & Lepp, N.W. The effects of elevated host-plant cadmium and copper on the performance of the aphid *Aphis fabae* (Homoptera: Aphididae), 528

da Vinha, S.G. *see* **Montagnini, F.**

Danielou, V. *see* **Lefol, E.**

Daniels, R.J.R., Gadgil, M. & Joshi, N.V. Impact of human extraction on tropical humid forests in the Western Ghats in Uttara Kannada, South India, 866

Darmency, H. *see* **Lefol, E.**

De Pietri, D.E. The spatial configuration of vegetation as an indicator of landscape degradation due to livestock enterprises in Argentina, 857

Dickinson, G.R. *see* **Sun, D.**

Douthwaite, R.J. Occurrence and consequences of DDT residues in woodland birds following tsetse fly spraying operations in NW Zimbabwe, 727

Dunwell, J.M. *see* **Paul, E.M.**

Ens, B.J. *see* **Goss-Custard, J.D.**

Eriksson, I. *see* **Gustafsson, L.**

Exo, K.-M. *see* **Goss-Custard, J.D.**

Fa, J.E. *see* **Juste, J.**

Fanzeres, A. *see* **Montagnini, F.**

Farrell, G. *see* **Lonsdale, W.M.**

Findlay, S.R. *see* **Roper, T.J.**

Fojt, W. & Harding, M. Thirty years of change in the vegetation communities of valley mires in Suffolk, England, 561

Foppen, R. *see* **Reijnen, R.**

Forbes, B.C. *see* **Kevan, P.G.**

Forseth, T. *see* **Ugedal, O.**

Fownes, J.H. *see* **Harrington, R.A.**

Froud-Williams, R.J. *see* **Theaker, A.J.**

Fussell, M. *see* **Corbet, S.A.**

Gadallah, F.L. & Jefferies, R.L. Comparison of the nutrient contents of the principal forage plants utilized by lesser snow geese on summer breeding grounds, 263

Gadallah, F.L. & Jefferies, R.L. Forage quality in brood rearing areas of the lesser snow goose and the growth of captive goslings, 276

Gadgil, M. *see* **Daniels, R.J.R.**

Glasgow, E.M. *see* **Clark, H.**

Gonzalez-Andujar, J.L. & Perry, J.N. Models for the herbicidal control of the seed bank of *Avena sterilis*:

the effects of spatial and temporal heterogeneity and of dispersal, 578

Gordon, I.J. *see* **Clarke, J.L.**

Goss-Custard, J.D., Clarke, R.T., Briggs, K.B., Ens, B.J., Exo, K.-M., Smit, C., Beintema, A.J., Caldow, R.W.G., Catt, D.C., Clark, N.A., le V. Dit Durell, S.E.A., Harris, M.P., Hulscher, J.B., Meininger, P. L., Picozzi, N., Prys-Jones, R., Safriel, U. & West, A.D. Population consequences of winter habitat loss in a migratory shorebird. I. Estimating model parameters, 320

Goss-Custard, J.D., Clarke, R.T., le V. dit Durell, S.E.A., Caldow, R.W.G. & Ens, B.J. Population consequences of winter habitat loss in a migratory shorebird. II. Model predictions, 337

Grelsson, G. *see* **Nilsson, C.**

Groves, R.H. *see* **Cavers, P.B.**

Gustafsson, L. & Eriksson, I. Factors of importance for the epiphytic vegetation of aspen *Populus tremula* with special emphasis on bark chemistry and soil chemistry, 412

Hamer, K.C. *see* **Hill, J.K.**

Hamilton, W.D. Ecology in the large: Gaia and Genghis Kahn, 451

Harding, M. *see* **Fojt, W.**

Harrington, R.A. & Fownes, J.H. Radiation interception and growth of planted and coppice stands of four fast-growing tropical trees, 1

Harris, M.P. *see* **Goss-Custard, J.D.**

Harris, S. *see* **Plumptre, A.J.**

Harris, S. *see* **White, P.C.L.**

Hester, A.J. *see* **MacDonald, A.J.**

Hilborn, R. *see* **Pascual, M.A.**

Hill, J.K., Hamer, K.C., Lace, L.A. & Banham, W.M.T. The effects of selective logging on tropical forest butterflies on Buru, Indonesia, 754

Hodkinson, I.D. *see* **Crawford, L.A.**

Hone, J. Spatial and temporal aspects of vertebrate pest damage with emphasis on feral pigs, 311

Huiszoon, A. *see* **Aerts, R.**

Hulscher, J.B. *see* **Goss-Custard, J.D.**

Jacobs, M. *see* **Paul, E.M.**

Jefferies, R.L. *see* **Gadallah, F.L.**

Johnson, P.J. *see* **MacDonald, D.W.**

Jonsson, B. *see* **Ugedal, O.**

Joshi, N.V. *see* **Daniels, R.J.R.**

Juste, J., Fa, J.E., Perez Del Val, J. & Castroviejo, J. Market dynamics of the bushmeat species in Equatorial Guinea, 454

Kaye, P.E. *see* **Cavers, P.B.**

Kazda, M. Changes in alder fens following a decrease in the ground water table: results of a geographical information system application, 100

Kevan, P.G., Forbes, B.C., Kevan, S.M. & Behan-Pelletier, V. Vehicle tracks on high Arctic tundra: their effects on the soil, vegetation, and soil arthropods, 655

Kevan, S.M. *see* **Kevan, P.G.**

Keys, R.N., Buchmann, S.L. & Smith, S.E. Pollination effectiveness and pollination efficiency of insects foraging *Prosopis velutina* in South Eastern Arizona, 519

Kirby, J.S., Salmon, D.G., Atkinson-Willes, G.L. & Cranswick, P.A. Index numbers for waterbird populations. III. Long-term trends in the abundance of wintering wildfowl in Great Britain, 1966/67–1991/92, 536

Kirkpatrick, A.H. *see* **MacDonald, A.J.**

Komulainen, M. & Mikola, J. Soil processes as influenced by heavy metals and the composition of soil fauna, 234

Lace, L.A. *see* **Hill, J.K.**

Laiho, R. *see* **Laine, J.**

Laine, J., Vasander, H. & Laiho, R. Long-term effects of water level drawdown on the vegetation of drained pine mires in southern Finland, 785

Lakhani, K.H. *see* **Parish, T.**

le V. dit Durrell, S.E.A. *see* **Goss-Custard, J.D.**

Lefol, E., Danielou, V., Darmency, H., Boucher, F., Maillet, J. & Renard, M. Gene dispersal from transgenic crops. I. Growth of interspecific hybrids between oilseed rape and the wild hoary mustard, 803

Lepp, N.W. *see* **Crawford, L.A.**

Lonsdale, W.M., Farrell, G. & Wilson, C.G. Biological control of a tropical weed: a population model and experiment for *Sida acuta*, 391

Lovett Doust, J. *see* **Biernacki, M.**

Lovett Doust, L. *see* **Biernacki, M.**

Lüps, P. *see* **Roper, T.J.**

MacDonald, A.J., Kirkpatrick, A.H., Hester, A.J. & Sydes, C. Regeneration by natural layering of heather (*Calluna vulgaris*): frequency and characteristics in upland Britain, 85

MacDonald, D.W. & Johnson, P.J. The relationship between bird distribution and the botanical and structural characteristics of hedges, 492

McLachlan, S.M., Murphy, S.D., Tollenaar, M., Weise, S.F. & Swanton, C.J. Light limitation of reproduction and variation in the allometric relationship between reproductive and vegetative biomass in *Amaranthus retroflexus* (redroot pigweed), 157

Maillet, J. *see* **Lefol, E.**

Marboutin, E. & Peroux, R. Survival pattern of European hare in a decreasing population, 809

Meininger, P.L. *see* **Goss-Custard, J.D.**

Michael, N. *see* **Piha, M.I.**

Mikola, J. *see* **Komulainen, M.**

Milton, S.J. Effects of rain, sheep and tephritid flies on seed production of two arid Karoo shrubs in South Africa, 137

Milton, S.J. Spatial and temporal patterns in the emergence and survival of seedlings in arid Karoo shrubland, 145

Mohler, C.L. & Callaway, M.B. Effects of tillage and mulch on weed seed production and seed banks in sweet corn, 627

Montagnini, F., Fanzeres, A. & da Vinha, S.G. The potentials of 20 indigenous tree species for soil

rehabilitation in the Atlantic forest region of Bahia, Brazil, 841

Moss, D. *see* **Pollard, E.**

Murphy, S.D. *see* **McLachlan, S.M.**

Neuvonen, S. *see* **Ranta, H.**

Newton, P.C.D. *see* **Clark, H.**

Nicholson, K.S. *see* **Wardle, D.A.**

Nilsson, C. & Grelsson, G. The fragility of ecosystems: a review, 677

Njåstad, O. *see* **Ugedal, O.**

O'Connor, T.G. & Roux, P.W. Vegetation changes (1949–71) in a semi-arid grassy dwarf shrubland in the Karoo, South Africa: influence of rainfall variability and grazing by sheep, 612

Olsson, B.A. & Staaf, H. Influence of harvesting intensity of logging residues on ground vegetation in coniferous forests, 640

Paoletti, E. & Raddi, P. Effects of acidity on *in vitro* germination and tube growth of pollen from declining *Fagus sylvatica*, 836

Parish, T., Lakhani, K.H. & Sparks, T.H. Modelling the relationship between bird population variables and hedgerow, and other field margin attributes. II. Abundance of individual species and of groups of similar species, 362

Pascual, M.A. & Hilborn, R. Conservation of harvested populations in fluctuating environments: the case of the Serengeti wildebeest, 468

Paul, E.M., Capiau, K., Jacobs, M. & Dunwell, J.M. A study of gene dispersal via pollen in *Nicotiana tabacum* using introduced genetic markers, 875

Perez Del Val, J. *see* **Juste, J.**

Peroux, R. *see* **Marboutin, E.**

Perry, J.N. *see* **Gonzalez-Andujar, J.L.**

Picozzi, N. *see* **Goss-Custard, J.D.**

Piha, M.I., Vallack, H.W., Reeler, B.M. & Michael, N. A low input approach to vegetation establishment on mine and coal ash wastes in semi-arid regions. I. Tin mine tailings in Zimbabwe, 372

Piha, M.I., Vallack, H.W., Michael, N. & Reeler, B.M. A low input approach to vegetation establishment on mine and coal ash wastes in semi-arid regions. II. Lagooned pulverized fuel ash in Zimbabwe, 382

Pollard, E., Moss, D. & Yates, T.J. Population trends of common British butterflies at monitored sites, 9

Prŷs-Jones, O.E. *see* **Corbet, S.A.**

Prys-Jones, R. *see* **Goss-Custard, J.D.**

Plumptre, A.J. & Harris, S. Estimating the biomass of large mammalian herbivores in tropical montane forest: a method of faecal counting that avoids assuming a 'steady state' system, 111

Putwain, P.D. *see* **Pywell, R.F.**

Pywell, R.F., Webb, N.R. & Putwain, P.D. A comparison of techniques for restoring heathland on abandoned farmland, 400

Raddi, P. *see* **Paoletti, E.**

Rahman, A. *see* **Wardle, D.A.**

Ranta, H., Neuvonen, S. & Ylimartimo, A. Interactions of *Gremmeniella abietina* and endophytic fungi in shoots of Scots pine trees treated with simulated acid rain, 67

Rasmussen, J.B. *see* **Rowan, D.J.**

Reeler, B.M. *see* **Piha, M.I.**

Reid, N. *see* **Yan, Z.**

Reijnen, R. & Foppen, R. The effects of car traffic on breeding bird populations in woodland. IV. Influence of population size on the reduction of density close to a highway, 481

Reijnen, R., Foppen, R., ter Braak, C. & Thissen, J. The effects of car traffic on breeding bird populations in woodland. III. Reduction of density in relation to the proximity of main roads, 187

Renard, M. *see* **Lefol, E.**

Roper, T.J., Findlay, S.R., Lüps, P. & Shepherdson, D.J. Damage by badgers *Meles meles* to wheat *Triticum vulgare* and barley *Hordeum sativum* crops, 720

Roux, P.W. *see* **O'Connor, T.G.**

Rowan, D.J. & Rasmussen, J.B. The elimination of radiocaesium from fish, 739

Rushton, S.P. *see* **Sanderson, R.A.**

Safriel, U. *see* **Goss-Custard, J.D.**

Salmon, D.G. *see* **Kirby, J.S.**

Sanderson, R.A., Rushton, S.P., Cherril, A.J. & Byrne, J.P. Soil, vegetation and space: an analysis of their effects on the invertebrate communities of a moorland in north-east England, 506

Sarandon, R. *see* **Sarandon, S.J.**

Sarandon, S.J. & Sarandon, R. Mixture of cultivars: pilot field trial of an ecological alternative to improve production or quality of wheat (*Triticum aestivum*), 288

Saville, N.M. *see* **Corbet, S.A.**

Scott, D. *see* **Welch, D.**

Shepherdson, D.J. *see* **Roper, T.J.**

Singh, H. Nitrogen mineralization, microbial biomass and crop yield as affected by wheat residue placement and fertilizer in a semi-arid tropical soil with minimum tillage, 588

Smit, C. *see* **Goss-Custard, J.D.**

Smith, G.C. *see* **White, P.C.L.**

Smith, S.E. *see* **Keys, R.N.**

Sparks, T.H. *see* **Parish, T.**

Srivastava, A.K. & Ambasht, R.S. Biomass, production, decomposition of and N release from root nodules in two *Casuarina equisetifolia* plantations in Sonbhadra, India, 121

Staaf, H. *see* **Olsson, B.A.**

Sun, D. & Dickinson, G.R. Survival and growth responses of a number of Australian tree species planted on a saline site in tropical north Australia, 817

Suter, W. The effect of predation by wintering cormorants *Phalacrocorax carbo* on grayling *Thymallus thymallus* and trout (Salmonidae) populations: two case studies from Swiss rivers, 29

Swanton, C.J. *see* **McLachlan, S.M.**

Sydes, C. *see* **MacDonald, A.J.**

Tatchell, G.M. *see* **Worner, S.P.**

ter Braak, C. *see* **Reijnen, R.**

Terpstra, R. Dormancy of seeds of shepherd's purse in alternating wet and dry, compressed aggregated soil: a laboratory experiment, 434

The Earl of Selborne, The role of nature conservation organizations in implementing Agenda 21, 255

Theaker, A.J., Boatman, N.D. & Froud-Williams, R.J. Variation in *Bromus sterilis* on farmland: evidence for the origin of field infestations, 47

Thissen, J. *see* **Reijnen, R.**

Toft, S. Value of the aphid *Rhopalosiphum padi* as food for cereal spiders, 552

Tollenaar, M. *see* **McLachlan, S.M.**

Ugedal, O., Forseth, T., Jonsson, B. & Njåstad, O. Sources of variation in radiocaesium levels between individual fish from a Chernobyl contaminated Norwegian lake, 352

Unwin, D.M. *see* **Corbet, S.A.**

Vallack, H.W. *see* **Piha, M.I.**

van de Vijver, C.A.D.M. *see* **Aerts, R.**

van den Berg, H. & Cock, M.J.W. Spatial association between *Helicoverpa armigera* and its predators in smallholder crops in Kenya, 242

van Oostrum, J.H.A. *see* **Aerts, R.**

Vasander, H. *see* **Laine, J.**

Volaire, F. Growth, carbohydrate reserves and drought survival strategies of contrasting *Dactylis glomerata* populations in a Mediterranean environment, 56

Wardle, D.A., Nicholson, K.S., Ahmed, M. & Rahman, A. Influence of pasture forage species on seedling emergence, growth and development of *Carduus nutans*, 225

Webb, N.R. *see* **Pywell, R.F.**

Weise, S.F. *see* **McLachlan, S.M.**

Welch, D. *see* **Clarke, J.L.**

Welch, D. & Scott, D. Studies in the grazing of heather moorland in north-east Scotland. VI. 20-year trends in botanical composition, 596

West, A.D. *see* **Goss-Custard, J.D.**

White, P.C.L., Harris, S. & Smith, G.C. Fox contact behaviour and rabies spread: a model for the estimation of contact probabilities between urban foxes at different population densities and its implications for rabies control in Britain, 693

Willems, J.H. *see* **Aerts, R.**

Wilson, C.G. *see* **Lonsdale, W.M.**

Wilson, P.J. & Aebischer, N.J. The distribution of dicotyledonous arable weeds in relation to distance from the field edge, 295

Woiwod, I.P. *see* **Worner, S.P.**

Worner, S.P., Tatchell, G.M. & Woiwod, I.P. Predicting spring migration of the damson-hop aphid *Phorodon humuli* (Homoptera: Aphididae) from historical records of host-plant flowering phenology and weather, 17

Yan, Z. & Reid, N. Mistletoe (*Amyema miquelii* and *A. pendulum*) seedling establishment on eucalypt hosts in eastern Australia, 778

Yates, T.J. *see* **Pollard, E.**

Ylimartimo, A. *see* **Ranta, H.**

BOOK REVIEWS

Adams, W.A. & Gibbs, R.J. *Natural Turf for Sport and Amenity: Science and Practice*, 668

Archibold, O.W. *Ecology of World Vegetation*, 883

Bowles, M.L. & Whelan, C.J. (eds) *Restoration of Endangered Species: Conceptual Issues, Planning and Implementation*, 883

Chapman, G.P. (ed.) *Grass Evolution and Domestication*, 445

Coleman, D.C. & Fry, B. (eds) *Carbon Isotope Techniques*, 884

Cronk, Q.C.B. & Fuller, J.L. *Plant Invaders*, 884

Descola, P. *In the Society of Nature: A Native Ecology in Amazonia*, 445

Edwards, P.J., May, R.M. & Webb, N.R. *Large-Scale Ecology and Conservation Biology*, 446

Fuller, R.J. *Bird Life of Woodland and Forest*, 885

Gilpin, A. *Environmental Impact Assessment: Cutting Edge for the Twenty-First Century*, 886

Haccou, P. & Meelis, E. *Statistical Analysis of Behavioural Data: An Approach Based on Time-Structured Models*, 447

Harper, D.M. & Ferguson, A.J.D. (eds) *The Ecological Basis for River Management*, 886

Hodgson, J.D., Grime, J.P., Hunt, R. & Thompson, K. (eds) *The Electronic Comparative Plant Ecology*, 887

Huston, M.A. *Biological Diversity: the Coexistence of Species on Changing Landscapes*, 668

Jones, S., Martin, R. & Pilbeam, D. (eds) *The Cambridge Encyclopedia of Human Evolution*, 669

Kirk, J.T.O. *Light and Photosynthesis in Aquatic Ecosystems*, 448

Langer, R.H.M. & Hill, G.D. *Agricultural Plants*, 2nd edn, 887

Leigh, R.A. & Johnston, A.E. (eds) *Long-term Experiments in Agricultural and Ecological Sciences*, 888

Monteith, J.L., Scott, R.K. & Unsworth, M.H. (eds) *Resource Capture by Crops*, 670

Morgan, R.P.C. & Rickson, R.J. (eds) *Slope Stabilisation and Erosion Control*, 671

Owen, J. *The Ecology of a Garden: The First Fifteen Years*, 676

Pearce, D. & Moran, D. *The Economic Value of Biodiversity*, 672

Pollard, E. & Yates, T.J. *Monitoring Butterflies for Ecology and Conservation*, 673

Ritz, K., Dighton, J. & Giller, K.E. (eds) *Beyond the Biomass*, 449

Ross, S.M. (ed.) *Toxic Metals in Soil–Plant Systems*, 889

Smith, T.D. *Scaling Fisheries: The Science of Measuring the Effects of Fishing, 1855-1955*, 673

Steiner, G.M. *Österreichischer Moorschutzkatalog (Grüne Reihe des BUJF, Band1)*, 4th edn, 253

Thompson, H.V. & King, C.M. (eds) *The European Rabbit: The History and Biology of a Successful Colonizer*, 254

Turner, B.L. II, Clark, W.C., Kates, R.W., Richards, J.F., Mathews, J.T. & Meyer, W.B. *The Earth as*

Transformed by Human Action: Global and Regional Changes in the Biosphere Over the Past 300 years, 669
Warhurst, A.M. *An Environmental Assessment of Alkylphenol Ethoxylates and Alkylphenols*, 890
Whitney, G.G. *From Coastal Wilderness to Fruited Plain*, 675
Williams, J.T. (ed.) *Cereals and Pseudocereals*, 676
Williams, M. *Americans and their Forests*, 675